



spookypi.co.uk

SPI MULTI-EQUIPMENT READING LOG

General Investigation Equipment Log

Use this sheet when several pieces of equipment are being monitored during the same investigation session.

Identify the device for each entry, record what changed and note possible ordinary influences before interpreting it.

1 INVESTIGATION DETAILS

Venue / Location

Area / Room

Date

Session start

Session end

Investigator completing sheet

Others present

2 EQUIPMENT IN USE

Equipment / device	Make / model (if known)	Type / function

3 GENERAL CONDITIONS / POSSIBLE INFLUENCES

Known environmental or electrical factors

Examples: mains wiring, heaters, phones/radios, airflow, vibration, nearby movement, metalwork or other active equipment.

Conditions during session

☐ Most equipment stationary

☐ People moving nearby

☐ Electrical equipment active

☐ Other

4 BASELINE / REFERENCE NOTES

Were baseline or normal readings established for the equipment in use?

☐ Yes

☐ Some only

☐ No

Baseline / reference notes

Field reminder

Record the equipment name in every log entry so readings from different devices cannot be confused later.



spookypi.co.uk

SPI MULTI-EQUIPMENT READING LOG

Repeatable Reading & Change Log

Venue / Location	Area / Room	Date	Investigator

READING / CHANGE	Time		Equipment / device					
Reading / value	Unit	Change / activation						
What was happening at the time?								
Possible ordinary influence								
☐ Person nearby	☐ Moved / touched	☐ Electrical	☐ Phone / radio	☐ Airflow / environment				
				☐ None obvious				
Repeated?	☐ Yes	☐ No	☐ Not tested	Check / control				
				☐ Yes	☐ No	☐ Not practical	Ref.	

READING / CHANGE	Time		Equipment / device					
Reading / value	Unit	Change / activation						
What was happening at the time?								
Possible ordinary influence								
☐ Person nearby	☐ Moved / touched	☐ Electrical	☐ Phone / radio	☐ Airflow / environment				
				☐ None obvious				
Repeated?	☐ Yes	☐ No	☐ Not tested	Check / control				
				☐ Yes	☐ No	☐ Not practical	Ref.	

READING / CHANGE	Time		Equipment / device					
Reading / value	Unit	Change / activation						
What was happening at the time?								
Possible ordinary influence								
☐ Person nearby	☐ Moved / touched	☐ Electrical	☐ Phone / radio	☐ Airflow / environment				
				☐ None obvious				
Repeated?	☐ Yes	☐ No	☐ Not tested	Check / control				
				☐ Yes	☐ No	☐ Not practical	Ref.	

READING / CHANGE	Time		Equipment / device					
Reading / value	Unit	Change / activation						
What was happening at the time?								
Possible ordinary influence								
☐ Person nearby	☐ Moved / touched	☐ Electrical	☐ Phone / radio	☐ Airflow / environment				
				☐ None obvious				
Repeated?	☐ Yes	☐ No	☐ Not tested	Check / control				
				☐ Yes	☐ No	☐ Not practical	Ref.	



Quick Reading Log

Always identify the equipment used. Move important or unusual changes to the detailed log page if more context is needed.

SPI Free Paranormal Investigation Resources • spookypi.co.uk